

## U.S. PATENT DOCUMENTS

2009/0297947	A1	12/2009	Deng et al.
2010/0159366	A1	6/2010	Shao-Horn et al.
2010/0176337	A1	7/2010	Zhamu et al.
2011/0033746	A1	2/2011	Liu et al.
2011/0045347	A1	2/2011	Liu et al.
2011/0051316	A1	3/2011	Liu et al.
2011/0111299	A1	5/2011	Liu et al.

## FOREIGN PATENT DOCUMENTS

WO	WO 2007/061945	A2 *	5/2007
WO	WO 2008/106991	A1 *	9/2008
WO	WO2009/023051		2/2009
WO	WO2010/014215		2/2010
WO	WO2010/030361		3/2010
WO	WO2011/019764		2/2011
WO	WO2011/019765		2/2011

## OTHER PUBLICATIONS

- Suslick et al. *Nature* Oct. 3, 1991 vol. 353 pp. 414-416.\*
- Mdlenleni et al. *Journal of the American Chemical Society*, vol. 120 pp. 6189-6190.\*
- Aksay et al., "Biomimetic Pathways for Assembling Inorganic Thin Films," *Science* 273:892-898 (Aug. 1996).
- Aricò et al., "Nanostructured materials for advanced energy conversion and storage devices," *Nature Materials* 4:366-377 (May 2005).
- Armstrong et al., "TiO<sub>2</sub>-B Nanowires," *Angewandte Chemie-International Edition* 43:2286-2288 (Apr. 2004).
- Armstrong et al., "TiO<sub>2</sub>(B) Nanowires as an Improved Anode Material for Lithium-Ion Batteries Containing LiFePO<sub>4</sub> or LiNi<sub>0.5</sub>Mn<sub>1.5</sub>O<sub>4</sub> Cathodes and a Polymer Electrolyte," *Advanced Materials* 18:2597-2600 (Oct. 2006).
- Asefa et al., "Periodic mesoporous organosilicas with organic groups inside the channel walls," *Nature* 402:867-871 (Dec. 1999).
- Atkin et al., "Self-Assembly of a Nonionic Surfactant at the Graphite/Ionic Liquid Interface," *Journal of the American Chemical Society* 127:11940-11941 (Aug. 2005).
- Attard et al., "Mesoporous Platinum Films from Lyotropic Liquid Crystalline Phases," *Science* 278:838-840 (Oct. 1997).
- Bagshaw et al., "Templating of Mesoporous Molecular Sieves by Nonionic Polyethylene Oxide Surfactants," *Science* 269:1242-1244 (Sep. 1995).
- Baudrin et al., "Structural evolution during the reaction of Li with nano-sized rutile type TiO<sub>2</sub> at room temperature," *Electrochemistry Communications* 9:337-342 (Feb. 2007).
- Berger et al., "Electronic Confinement and Coherence in Patterned Epitaxial Graphene," *Science* 312:1191-1196 (May 2006).
- Bonard et al., "Purification and Size-Selection of Carbon Nanotubes," *Advanced Materials* 9(10):827-831 (month unknown 1997).
- Braun et al., "Semiconducting superlattices template by molecular assemblies," *Nature* 380:325-328 (Mar. 1996).
- Chen et al., "Mechanically Strong, Electrically Conductive, and Biocompatible Graphene Paper," *Advanced Materials* 20:3557-3561 (Jul. 2008).
- Chen et al., "Reducing Carbon in LiFePO<sub>4</sub>/C Composite Electrodes to Maximize Specific Energy, Volumetric Energy, and Tap Density," *Journal of the Electrochemical Society* 149(9):A1184-A1189 (Sep. 2002).
- Decher, "Fuzzy Nanoassemblies: Toward Layered Polymeric Multicomposites," *Science* 277(9):1232-1237 (Aug. 1997).
- Dikin et al., "Preparation and characterization of graphene oxide paper," *Nature* 448:457-460 (Jul. 2007).
- Dominko et al., "Impact of the Carbon Coating Thickness on the Electrochemical Performance of LiFePO<sub>4</sub>/C Composites," *Journal of the Electrochemical Society* 152(3):A607-A610 (Jan. 2005).
- Erjavec et al., "RuO<sub>2</sub>-wired high-rate nanoparticulate TiO<sub>2</sub>(anatase): Suppression of particle growth using silica," *Electrochemistry Communications* 10:926-929 (Jun. 2008).
- Goward et al., "Poly(pyrrole) and poly(thiophene)/vanadium oxide interleaved nanocomposites: positive electrodes for lithium batteries," *Electrochimica Acta* 43(10-11):1307-1303 (Apr. 1998).
- Guo et al., "Superior Electrode Performance of Nanostructured Mesoporous TiO<sub>2</sub> (Anatase) through Efficient Hierarchical Mixed Conducting Networks," *Advanced Materials* 19:2087-2091 (Jul. 2007).
- Herle et al., "Nano-network electronic conduction in iron and nickel olivine phosphates," *Nature Materials* 3:147-152 (Feb. 2004).
- Hu et al., "High Lithium Electroactivity of Nanometer-Sized Rutile TiO<sub>2</sub>," *Advanced Materials* 18:1421-1426 (Apr. 2006).
- Hu et al., "Improved Electrode Performance of Porous LiFePO<sub>4</sub> Using RuO<sub>2</sub> as an Oxidic Nanoscale Interconnect," *Advanced Materials* 19:1963-1966 (Jul. 2007).
- Huang et al., "Self-organizing high-density single-walled carbon nanotube arrays from surfactant suspensions," *Nanotechnology* 15:1450-1454 (Nov. 2004).
- Huo et al., "Organization of Organic Molecules with Inorganic Molecular Species into Nanocomposite Biphase Arrays," *Chemistry Materials* 6:1176-1191 (Aug. 1994).
- International Preliminary Report on Patentability and Written Opinion for PCT/US2009/005085 (mailed Mar. 24, 2011).
- International Search Report and Written Opinion for PCT/US2009/004369 (mailed Jan. 29, 2010).
- International Search Report for PCT/US2009/005085 (mailed Feb. 4, 2010).
- International Search Report for PCT/US2010/045088, mailed Oct. 6, 2010.
- International Search Report for PCT/US2010/045089, mailed Oct. 27, 2010.
- Jiang et al., "Nanocrystalline Rutile TiO<sub>2</sub> Electrode for High-Capacity and High-Rate Lithium Storage," *Electrochemical and Solid-State Letters* 10(5):A127-A129 (Mar. 2007).
- Kavan et al., "Nanocrystalline TiO<sub>2</sub> (Anatase) Electrodes: Surface Morphology, Adsorption, and Electrochemical Properties," *Journal of the Electrochemical Society* 143(2):394-400 (Feb. 1996).
- Kresge et al., "Ordered mesoporous molecular sieves synthesized by a liquid-crystal template mechanism," *Nature* 359:710-712 (Oct. 1992).
- Leroux et al., "Electrochemical Lithium Intercalation into a Polyaniline/V2O<sub>5</sub> Nanocomposite," *J. Electrochemical Society* 143(9):L181-L183 (Sep. 1996).
- Li et al., "Processable aqueous dispersions of grapheme nanosheets," *Nature Nanotechnology* 3:101-105 (Jan. 2008).
- Liu et al., "Oriented Nanostructures for Energy Conversion and Storage," *ChemSusChem* 1:676-697 (Aug. 2008).
- Lou et al., "Template-Free Synthesis of SnO<sub>2</sub> Hollow Nanostructures with High Lithium Storage Capacity," *Advanced Materials* 18:2325-2329 (Aug. 2006).
- Maier et al., "Nanoionics: ion transport and electrochemical storage in confined systems," *Nature Materials* 4:805-815 (Nov. 2005).
- Mao et al., "Structural, electronic and magnetic properties of manganese doping in the upper layer of bilayer graphene," *Nanotechnology* 19(20):205708-205715 (May 2008).
- McAllister et al., "Single Sheet Functionalized Graphene by Oxidation and Thermal Expansion of Graphite," *Chemical Materials* 19:4396-4404 (May 2007).
- Moriguchi et al., "A Mesoporous Nanocomposite of TiO<sub>2</sub> and Carbon Nanotubes as a High-Rate Li-Intercalation Electrode Material," *Advanced Materials* 18:69-73 (Jan. 2006).
- Moskon et al., "Citrate-Derived Carbon Nanocoatings for Poorly Conducting Cathode," *Journal of the Electrochemical Society* 153(10):A1805-A1811 (Jul. 2006).
- Nethravathi et al., "Graphite Oxide-Intercalated Anionic Clay and Its Decomposition to Graphene-Inorganic Material Nanocomposites," *Langmuir* 24:8240-8244 (Aug. 2008).
- Nishihara et al., "Carbon-coated mesoporous silica with hydrophobicity and electrical conductivity," *Carbon* 46(1):pp. 48-53 (Jan. 2008).
- Niyogi et al., "Solution Properties of Graphite and Graphene," *Journal of the American Chemical Society* 128:7720-7721 (Jan. 2006).
- Novoselov et al., "Electric Field Effect in Atomically Thin Carbon Films," *Science* 306:666-669 (Oct. 2004).